

DuPont[™] Zorvec[™] Enicade[™] fungicide Version 2.0 Revision Date 01.02.2016 Document no. 130000124356 This SDS adheres to the standards and regulatory requirements of Australia and may not meet the regulatory requirements in other countries. 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING : DuPont[™] Zorvec[™] Enicade[™] fungicide Product name Other names B13124414 Oxathiapiprolin 100 OD Recommended use of the chemical and restriction on use Recommended use : Fungicide Manufacturer, importer, supplier Street address Company : Du Pont (Australia) Pty Ltd : 7 Eden Park Drive Macquarie Park NSW 2113 Australia Telephone : (02) 9923 6111 Telefax : (02) 9923 6011 Emergency telephone : (02) 9923 6275 (Transport Emergency) number (24 hr Emergency Medical Information: 1800 674 415) 2. HAZARDS IDENTIFICATION

Dreduct bezord clossificatio

Product hazard classification					
Skin sensitisation	:	Category 1			
Acute aquatic toxicity	:	Category 1			
Chronic aquatic toxicity	:	Category 1			

:

Endpoints which are not classified, cannot be classified or are not applicable are not shown.

Label content

Signal word	: Warning
Hazardous warnings	: May cause an allergic skin reaction. Very toxic to aquatic life with long lasting effects.
Precautionary statements	 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/ attention. Wash contaminated clothing before reuse.

SALLI DATA SILLI	QU PON	D
DuPont [™] Zorvec [™] Enio	ade [™] fungicide	
Version 2.0 Revision Date 01.02.2016	Document no. 130000124356	
	Collect spillage. Dispose of contents/ container to an approved waste disposal plant.	
3. COMPOSITION/INFORMATION	I ON INGREDIENTS	
Chemical nature	: Mixture	
Components		
Chemical name	CAS-No. Concentration	
Oxathiapiprolin Other Ingredients	1003318-67-9 10.2 % 89.8 %	
0		
4. FIRST AID MEASURES		
	label with you when calling a poison control center or doctor, or going for treatment octor or Poisons Information Centre. In Australia 13 11 26.	t. If
Inhalation	: Move to fresh air. Artificial respiration and/or oxygen may be necessary. Call a poison control center or doctor for treatment advice.	
Skin contact	: Take off all contaminated clothing immediately. Rinse skin immediately with plei of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.	nty
Eye contact	: The material is not likely to be hazardous by eye contact, but flushing the eye if contact occurs is advisable. Consult a physician if necessary.	
Ingestion	: No specific intervention is indicated as the compound is not likely to be hazardo Consult a physician if necessary.	us.
Most important symptoms/effects, acute and delayed	: No information available.	
Protection of first-aiders	: No information available.	

Notes to physician : Treat symptomatically.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray, Dry chemical, Foam, Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet, (contamination risk)
Specific hazards	:	No information available.
Special protective equipment for firefighters	:	Wear full protective clothing and self-contained breathing apparatus.

DuPont [™] Zorvec [™] Eni	aada [™] funaiaida
Version 2.0	
Revision Date 01.02.2016	Document no. 130000124356
Specific extinguishing methods	: No information available.
Further information	: Prevent fire extinguishing water from contaminating surface water or the ground water system. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. (on small fires) If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool containers/tanks with water spray.
Hazchem Code	: .3Z
6. ACCIDENTAL RELEASE MEA	ASURES
Personal precautions, protective equipment and emergency procedures	: Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus. Use personal protective equipment.
Environmental precautions	: Prevent material from entering sewers, waterways, or low areas.
Methods and materials for containment and cleaning up	 Soak up with sawdust, sand, oil dry or other absorbent material. Dispose of in an approved container. If liquid has been spilt in large quantities clean up promptly by scoop or vacuum.
Additional advice	: Never return spills in original containers for re-use. Dispose of in accordance with local regulations.

OUPON

7. HANDLING AND STORAGE

Handling		
Technical measures/Precautions	:	Wash hands after use. Remove and wash contaminated clothing before re-use.
Precautions for safe handling	:	Keep away from heat and sources of ignition.
Storage		
Suitable storage conditions	:	Do not contaminate water, other pesticides, fertilizer, food or feed in storage. Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Keep container closed when not in use. Observe label precautions. Keep out of the reach of children. DO NOT store for prolonged periods in direct sunlight

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

No information available.



DuPont [™] Zorvec [™] Eni	e [™] fungicide)
Version 2.0	_	
Revision Date 01.02.2016	Docume	nt no. 130000124356
Engineering measures	Ensure adequate	ventilation.
Biological occupational exposure limits	lo information ava	ailable.
Personal protective equip		
Respiratory protection	lone specified.	
Hand protection	Dpening the conta Aaterial: Chemica	iner and preparing spray material: I-resistant gloves
Eye protection	lone specified.	
Skin protection		tive clothing and safety shoes are recommended., Prolonged or d skin contact may cause allergic reactions in some individuals.
Hygiene measures		skin, eyes and clothing. Remove clothing/PPE immediately if e. Wash all protective clothing after use.
9. PHYSICAL AND CHEMICAL	ERTIES	

Appearance (Physical stat	e, fe	orm, colour, etc.)
Physical state	:	liquid
Form	:	liquid
Colour	:	off-white
Odour	:	oily characteristic
Odour Threshold	:	No information available.
рН	:	6.5
		(1% solution in water)

Melting point/freezing point No information available.

Initial boiling point and boiling range No information available.

:	> 80 °C
:	No information available.
:	No information available.
or ex	xplosive limits No information available. No information available.
:	No information available.
:	No information available.

Density

SAFETY DATA SHEET			OUPOND		
DuPont [™] Zorvec [™] Eni	DuPont [™] Zorvec [™] Enicade [™] fungicide				
Version 2.0 Revision Date 01.02.2016		Decument no. 120000124256			
Revision Date 01.02.2018		Document no. 130000124356			
Density	:	0.99 g/cm3			
Solubility(ies) Water solubility	:	insoluble			
Partition coefficient: n- octanol/water	:	No information available.			
Auto-ignition temperature					
Auto-ignition	:	335 °C			
temperature		Auto-ignition temperature			
Ignition temperature	:				
Decomposition temperature	:	No information available.			
Viscosity Viscosity, kinematic	•	No information available.			
viscosity, kinematic	•				
Molecular weight	:	No information available.			

10. STABILITY AND REACTIVITY

Reactivity	:	No information available.
Chemical stability	:	Stable at normal temperatures and storage conditions.
Possibility of hazardous reactions	:	Polymerization will not occur.
Conditions to avoid	:	Elevated temperature
Materials to avoid	:	No materials to be especially mentioned.
Hazardous decomposition products	:	No information available.

Acute toxicity		
Oral		
DuPont [™] Zorvec [™] Enicade [™] fungicide	:	LD50/Rat: > 5,000 mg/kg
Inhalation		
DuPont [™] Zorvec [™] Enicade [™] fungicide	:	LC50/Rat(dust/mist): > 5.0 mg/l
Dermal		
DuPont [™] Zorvec [™] Enicade [™] fungicide	:	LD50/Rat: > 5,000 mg/kg
Skin corrosion/irritation		
DuPont Zorvec Enicade fungicide	:	Species: Rabbit Result: Mild skin irritation
	DuPont [™] Zorvec [™] Enicade [™] fungicide Inhalation DuPont [™] Zorvec [™] Enicade [™] fungicide Dermal DuPont [™] Zorvec [™] Enicade [™] fungicide Skin corrosion/irritation DuPont [™] Zorvec [™] Enicade [™]	Acute toxicity Oral DuPont [™] Zorvec [™] Enicade [™] : fungicide Inhalation DuPont [™] Zorvec [™] Enicade [™] : fungicide Dermal DuPont [™] Zorvec [™] Enicade [™] : fungicide



TAA TAA TA	
DuPont[™] Zorvec[™] Enicade[™] Version 2.0	[®] fungicide
Revision Date 01.02.2016	Document no. 130000124356
Serious eye damage/eye irritation DuPont [™] Zorvec [™] Enicade [™] fungicide	: Species: Rabbit Result: No eye irritation
Respiratory or skin sensitisation DuPont [™] Zorvec [™] Enicade [™] fungicide	: Buehler Test Species: Guinea pig Result: May cause sensitisation by skin contact.
Germ cell mutagenicity Oxathiapiprolin	: Tests on bacterial or mammalian cell cultures did not show mutagenic effects. Animal testing did not show any mutagenic effects.
Carcinogenicity Oxathiapiprolin	: Animal testing did not show any carcinogenic effects.
Reproductive toxicity Oxathiapiprolin	: Reproductive toxicity: No toxicity to reproduction Slight delays in maturation observed in rats. Teratogenicity: Animal testing showed no developmental toxicity.
Specific Target Organ Toxicity Specific target organ toxicity - single Oxathiapiprolin Specific target organ toxicity - repeate	 The substance or mixture is not classified as specific target organ toxicant, single exposure.
Oxathiapiprolin	: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Aspiration hazard No information available.	
Other Oxathiapiprolin	 Repeated dose toxicity: Oral/Rat No toxicologically significant effects were found. Oral/Dog No toxicologically significant effects were found. Oral/Mouse No toxicologically significant effects were found.
 12. ECOLOGICAL INFORMATION Ecotoxicity effects Acute and prolonged toxicity to fish DuPont[™] Zorvec[™] Enicade[™] fungicide 	: LC50/96 h/Oncorhynchus mykiss (rainbow trout): > 0.69 mg/l

 Toxicity to aquatic plants
 DuPont[™] Zorvec[™] Enicade[™]
 :
 ErC50/72 h/Pseudokirchneriella subcapitata (green algae): > 0.142 mg/l

 fungicide
 NOEC/72 h/Skeletonema costatum (Diatom): 0.141 mg/l

SAFETY DATA SHEET	OU POND.
DuPont [™] Zorvec [™] Enicade [™]	fungicide
Version 2.0 Revision Date 01.02.2016	Document no. 130000124356
	Information given is based on tests on the mixture itself., Information source: Internal study report
Acute toxicity to aquatic invertebrates DuPont [™] Zorvec [™] Enicade [™] fungicide	: EC50/48 h/Daphnia magna (Water flea): 0.67 mg/l
Chronic toxicity to fish Oxathiapiprolin	 Early Life-Stage/NOEC/88 d/Oncorhynchus mykiss (rainbow trout): 0.46 mg/l Early Life-Stage/NOEC/35 d/Cyprinodon variegatus (sheepshead minnow): 0.34 mg/l
Chronic toxicity to aquatic Invertebrat Oxathiapiprolin	es : Semi-Static-Life-Cycle/NOEC/21 d/Daphnia magna (Water flea): 0.75 mg/l flow-through test/NOEC/32 d/Americamysis bahia (mysid shrimp): 0.058 mg/l
Persistence and degradability No information available.	
Bioaccumulation No information available.	
Mobility in soil No information available.	
Other adverse effects Oxathiapiprolin	: Very toxic to aquatic life with long lasting effects.
13. DISPOSAL CONSIDERATIONS	
Trip disp cont or p avai and	not contaminate ponds, waterways or ditches with chemical or used container. le rinse (or equivalent) the container.Add rinsings to spray tank.DO NOT lose of undiluted chemicals on-site.If recycling, replace cap and return clean tainers to recycler or designated collection point.If not recycling, break, crush, uncture, and bury empty containers in a local authority landfill.If no landfill is ilable, bury the containers below 500 mm in a disposal pit specifically marked set up for this purpose clear of waterways, desirable vegetation and tree s.Empty containers and product should not be burnt.
	not re-use empty containers. Dose of in accordance with local regulations.
14. TRANSPORT INFORMATION Hazchem Code : .3Z	
	2 /IRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. athiapiprolin)
Packing group : III	

DuPont [™] Zorvec [™] Enic	ade [™] fungicide
Version 2.0	
Revision Date 01.02.2016	Document no. 130000124356
Marine pollutant	: yes (Oxathiapiprolin)
ΙΑΤΑ	
UN number	: 3082
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	(Oxathiapiprolin)
Class	9
Packing group	: 111
Matters needing attention for transportation	Marine Pollutants in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code and IATA special provision A197. If the product meets these special provisions, it may be shipped in New Zealand as a non-dangerous goods under provisions in NZS 5433 code which accepts IMDG and IATA classification.

Not classified as dangerous goods according to the ADG Code.

15. REGULATORY INFORMATION

SUSMP: No poison schedule number allocated APVMA Approval: 68375/61667

16. OTHER INFORMATION

References

SDS Number: 130000124356

Revision Date/Version

Date of first preparation	: 01.02.2	016
Revision Date	: 01.02.2	016
Version	: 2.0	

[™] Trademark of E.I. du Pont de Nemours and Company. Take notice of the directions of use on the label.

Significant change from previous version is denoted with a double bar.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The above information relates only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.